

**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Customer

Name		
Address		
Country		
Phone	Fax	
Contact		
Email		









Date	
Project	
Quote #	

Ship To






Name	Same
Address	
Country	
Phone	Fax
Contact	
Email	

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						









ANALOG CAMERAS

MTABP022603		2MP BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Plastic IP66	2MP - 1920 x 1080 1/3" CMOS Sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	20	Full HD	GDPR	31.1	8	\$ 16.25		\$ -
MTADP022603		2MP DOME CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Plastic IP66	2MP - 1920 x 1080 1/3" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	20	Full HD	GDPR	31.2	20	\$ 16.13		\$ -
MTABH022601		2MP BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Lens area in Metal/Plastic body IP67	2MP - 1920 x 1080 1/3" CMOS Sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	20	IP67	GDPR	31.3	20	\$ 20.63		\$ -
MTADH022601		2MP DOME CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Lens area in Metal/Plastic body IP67	2MP - 1920 x 1080 1/3" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	20	IP67	GDPR	31.4	20	\$ 21.88		\$ -
MTABM032701		2MP BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Metal IP67	2MP - 1920 x 1080 1/3" CMOS Sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	30	IP67	GDPR	32.1	20	\$ 22.38		\$ -
MTADM032701		2MP DOME CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Metal IP67	2MP - 1920 x 1080 1/3" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	30	IP67	NDA GDPR	32.2	20	\$ 23.25		\$ -
MTABM052711		2MP BULLET VARIFOCAL CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital NR / Smart IR Metal IP67	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	50	Varifocal IP67	NDA GDPR	32.3	20	\$ 44.63		\$ -
MTADM052711		2MP DOME VARIFOCAL CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Digital WDR / Digital DNR / Smart IR Metal IP67	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz)	2MP	50	Varifocal IP67	NDA GDPR	32.4	20	\$ 44.63		\$ -









FULL COLOR ANALOG CAMERAS

MFABH022701		2MP FULL COLOR BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Lens area in Metal/Plastic body IP67	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Digital WDR Image adjust.: AGC / BLC / DNR / Defog	2MP	20	Full color IP67	NDA GDPR	6.1	20	\$ 26.75		\$ -
MFADH022701		2MP FULL COLOR DOME CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Lens area in Metal/Plastic body IP67	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Digital WDR Image adjust.: AGC / BLC / 2D DNR	2MP	20	Full color IP67	NDA GDPR	6.2	20	\$ 26.75		\$ -
MFABM032701		2MP FULL COLOR BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Metal IP67	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Digital WDR Image adjust.: AGC / BLC / 2D DNR	2MP	30	Full color IP67	NDA GDPR	6.3	20	\$ 30.25		\$ -
MFABM035701		5MP FULL COLOR BULLET CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI Metal IP67	5MP - 2592 x 1944 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Digital WDR Image adjust.: AGC / BLC / 2D DNR	5MP	30	5MP Full color IP67	NDA GDPR	7.1	20	\$ 38.13		\$ -
MFADM035701		5MP FULL COLOR DOME CAMERA 4 in 1 Full HD Video Format: AHD / TVI / CVI / CVBS Metal IP67	5MP - 2592 x 1944 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Digital WDR Image adjust.: AGC / BLC / 2D DNR	5MP	30	5MP Full color IP67	NDA GDPR	7.2	20	\$ 38.13		\$ -









MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
IP 2MP CAMERAS												
MTIBH022704		2MP IP BULLET CAMERA H.265 / H.264 IP67 Lens area in Metal/Plastic body Intelligent Analytics - Exception/Line crossing/Intrusion detection	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 2 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI ONVIF - Profile S - P2P	2MP	20	Intelligent Analytics IP67	NDA GDPR	18.1	20	\$ 41.38		\$ -
MTIDH022704		2MP IP DOME CAMERA H.265 / H.264 IP67 Lens area in Metal/Plastic body Intelligent Analytics - Exception, Line crossing, Intrusion detection	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 2 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI Audio in/out: 0/0 - Built-in Mic ONVIF - Profile S - P2P	2MP	20	Intell Analytics Built-in Mic IP67	NDA GDPR	18.2	20	\$ 41.38		\$ -
MTIBM032703		2MP IP BULLET CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Human/Vehicle Line Crossing Detection, Human/Vehicle Intrusion Detection, Exception	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 2 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, AGC, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	2MP	30	Intell Analytics SD Card IP67	NDA GDPR	18.3	20	\$ 57.25		\$ -
MTIDM032702		2MP IP DOME CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Human/Vehicle Line Crossing Detection, Human/Vehicle Intrusion Detection, Exception	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 2 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, AGC, ROI Audio in/out: 1/0 - Built-in Mic ONVIF - Profiles S & G - P2P	2MP	30	Intell Analytics Built-in mic SD Card IP67	NDA GDPR	18.4	20	\$ 57.88		\$ -
MTIBM052715		2MP VARIFOCAI IP BULLET CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Human/Vehicle Line Crossing Detection, Human/Vehicle Intrusion Detection, Exception	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	2MP	50	Varifocal SD Card 3 Streams IP67	NDA GDPR	19.3	20	\$ 92.13		\$ -
MTIDM052715		2MP VARIFOCAI IP DOME CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Line Crossing, Intrusion, Object Removed Detections, Exception	2MP - 1920 x 1080 1/2.8" CMOS sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI Audio in/out: 1/0 - Built-in Mic ONVIF - Profiles S & G - P2P	2MP	50	Varifocal SD Card IP67	NDA GDPR	19.4	20	\$ 91.00		\$ -
MTIDP042612		2MP VARIFOCAI IP DOME CAMERA H.265+ / H.265 MicroSD Card slot, up to 256GB Intelligent Analytics - Line crossing detection/Intrusion detection/Exception	2MP - 1920 x 1080 1/2.7" CMOS sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 2 Streams Image adjust.: 3D NR, D-WDR, BLC, HLC, ROI Audio in/out: 1/0 - Built-in mic ONVIF - Profile S & G - P2P	2MP	40	Varifocal SD Card IP67	NDA GDPR	20.1	20	\$ 89.63		\$ -
MTIBM032704		2MP IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 MicroSD Card slot, up to 256GB Intelligent Analytics - Face detection, People, 2 and 4 wheel vehicles classification, Exception, Line crossing, People counting	2MP - 1920 x 1080 1/2.8" CMOS Starlight sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	2MP	30	Starlight sensor Face Detection Target counting	NDA GDPR	10.1	20	\$ 100.00		\$ -
MTIDM032704		2MP IP DOME FACE DETECTION CAMERA H.265+ / H.265 IP67 MicroSD Card slot, up to 256GB Intelligent Analytics - Face detection, People, 2 and 4 wheel vehicles classification, Exception, Line crossing, People counting	2MP - 1920 x 1080 1/2.8" CMOS Starlight sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Audio in/out: 1/0 - Built-in mic ONVIF - Profiles S & G - P2P	2MP	30	Starlight sensor Face Detection Target counting	NDA GDPR	10.2	20	\$ 100.00		\$ -
MTIBM052702		2MP IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Face Capture, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	2MP - 1920 x 1080 1/2.8" CMOS Starlight sensor 2.8 mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	2MP	50	Starlight sensor IP67 Face detection Target counting	NDA GDPR	10.3	20	\$ 136.50		\$ -









**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
IP 2MP CAMERAS												
MTIDM032801		2MP IP DOME FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Alarm in/out: 1/1 Audio in/out: 1/0 - Built-in mic ONVIF - Profiles S & G - P2P	2MP	30	Starlight sensor Face detection Target counting	NDAAGDPR	10.4	20	\$ 136.50		\$ -
MTIDM052821		2MP MOTORIZED VARIFOCA IP DOME FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Alarm in/out: 1/1 Audio in/out: 1/1 - Built-in mic ONVIF - Profiles S & G - P2P	2MP	50	Starlight Face detection Target counting IP67 IK10	NDAAGDPR	13.1	12	\$ 190.38		\$ -
MTIBM052724		2MP MOTORIZED VARIFOCA IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card, up to 256GB Intelligent Analytics - Face detection, Human/Vehicle Line Crossing Detection, Human/Vehicle Intrusion Detection, Target Counting, Exception	2MP - 1920 x 1080 . 1/2.8" CMOS Starlight Sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	2MP	50	Starlight Face Detection Target counting IP67	NDAAGDPR	13.3	20	\$ 170.63		\$ -
MTIBM072723		2MP MOTORIZED VARIFOCA IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card, up to 256GB Intelligent Analytics - Face Detection, Face Capture, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	2MP - 1920 x 1080 . 1/2.8" CMOS Starlight Sensor 2.8 - 12mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Alarm in/out: 1/1 Audio in/out: 1/1 ONVIF - Profiles S & G - P2P	2MP	70	Motorized Varifocal Starlight Face Detection Target counting	NDAAGDPR	14.1	20	\$ 191.63		\$ -
IP 4MP/5MP CAMERAS												
MTIBM054702		4MP IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot - Up to 256GB Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	4MP - 2592 x 1520 . 1/3" CMOS Low Light sensor 2.8mm focal length Up to 60 fps Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	4MP	50	4MP 60 fps Face Detection IP67 IK10	NDAAGDPR	11.1	20	\$ 164.13		\$ -
MTIDM034801		4MP IP DOME FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	4MP - 2592 x 1520 . 1/3" CMOS sensor 2.8mm focal length 30fps (60Hz) / 25fps (50Hz) Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, ROI Audio in/out: 1/0 - Build in Mic ONVIF - Profiles S & G - P2P	4MP	30	4MP Face Detection IP67 IK10	NDAAGDPR	11.2	20	\$ 156.25		\$ -
MTIBM034704		4MP IP BULLET FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	4MP - 2592 x 1520 . 1/3" CMOS sensor 2.8mm focal length Up to 60 fps Supports 3 Streams Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Audio in/out: 1/0 ONVIF - Profiles S & G - P2P	4MP	30	4MP 60 fps Face Detection IP67	NDAAGDPR	11.3	20	\$ 143.13		\$ -
MTIDM054821		4MP MOTORIZED VARIFOCA IP DOME FACE DETECTION CAMERA H.265+ / H.265 IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics: Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking	4MP - 2592 x 1520 . 1/3" CMOS sensor 2.8 - 12mm focal length Up to 60 fps Supports 3 Streams Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI Alarm in/out: 1/1 Audio in/out: 1/1 - Built-in mic ONVIF - Profiles S & G - P2P	4MP	50	4MP 60fps Face detection Target counting IP67 IK10	NDAAGDPR	13.2	12	\$ 261.25		\$ -

MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
IP 4MP/5MP CAMERAS												
MTIBM074722		<p>4MP MOTORIZED VARIFOCAI IP BULLET FACE DETECTION CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Face Detection, Face Capture, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking</p>	<p>.4MP - 2592 x 1520</p> <p>.1/3" CMOS sensor</p> <p>.2.8 - 12mm focal length</p> <p>.Up to 60 fps</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI</p> <p>.Audio in/out: 1/1</p> <p>.Alarm in/out: 1/1</p> <p>.ONVIF - Profiles S & G - P2P</p>	4MP	70	<p>Motorized Varifocal</p> <p>60 fps</p> <p>Face detection</p> <p>Target counting</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	14.2	20	\$ 259.88		\$ -
MTIBM104722		<p>4MP MOTORIZED VARIFOCAI IP BULLET FACE DETECTION CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Face Detection, Target Counting (human/vehicle distinction), Region Entrance/Exiting, Intrusion Detection (human/vehicle distinction), Line Crossing Detection (human/vehicle distinction), Human tracking</p>	<p>.4MP - 2592 x 1520</p> <p>.1/3" CMOS</p> <p>.7 - 22mm focal length</p> <p>.Up to 60 fps</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, WDR 120dB, BLC, HLC, AGC, Defog, ROI</p> <p>.Alarm in/out: 1/1</p> <p>.Audio in/out: 1/1</p> <p>.ONVIF - Profiles S & G - P2P</p>	4MP	100	<p>Motorized Varifocal</p> <p>60fps</p> <p>Face detection</p> <p>100m IR</p> <p>Car statistics</p>	<p>NDAA</p> <p>GDPR</p>	14.3	10	\$ 287.50		\$ -
MTIBM045702		<p>5MP IP BULLET CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Line Crossing detection, Intrusion detection, Object Removed/Abandoned detection, Exception detection</p>	<p>.5MP - 2592 x 1944</p> <p>.1/2.7" CMOS sensor</p> <p>.2.8mm focal length</p> <p>.30fps (60Hz) / 25fps (50Hz)</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI</p> <p>.Audio in/out - 1/0</p> <p>.ONVIF - Profile S & G - P2P</p>	5MP	40	<p>Intell Analytics</p> <p>SD Card</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	19.1	20	\$ 93.75		\$ -
MTIDM045704		<p>5MP DOME IP CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Object removal, Line Crossing, Intrusion, Exception</p>	<p>.5MP - 2592 x 1944</p> <p>.1/2.7" CMOS sensor</p> <p>.2.8mm focal length</p> <p>.30fps (60Hz) / 25fps (50Hz)</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI</p> <p>.Audio in/out: 1/0 - Built-in mic</p> <p>.ONVIF - Profile S & G - P2P</p>	5MP	40	<p>Intell Analytics</p> <p>Built-in mic</p> <p>SD Card</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	19.2	20	\$ 110.25		\$ -
MTIBM055723		<p>5MP MOTORIZED VARIFOCAI IP BULLET CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67, IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Human/Vehicle classification, Target counting, Line Crossing, Intrusion, Object Removed Detections, Exception</p>	<p>.5MP - 2592 x 1944</p> <p>.1/2.7" CMOS sensor</p> <p>.2.8 - 12mm focal length</p> <p>.30fps (60Hz) / 25fps (50Hz)</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI</p> <p>.Audio in/out: 1/0 - Built in mic</p> <p>.ONVIF - Profile S & G - P2P</p>	5MP	50	<p>Motorized Varifocal</p> <p>Built in Mic</p> <p>Target Counting</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	20.2	20	\$ 151.63		\$ -
MTIDM055723		<p>5MP MOTORIZED VARIFOCAI IP DOME CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Human/Vehicle classification, Target counting, Line Crossing, Intrusion, Object Removed Detections, Exception</p>	<p>.5MP - 2592 x 1944</p> <p>.1/2.7" CMOS sensor</p> <p>.2.8 - 12mm focal length</p> <p>.30fps (60Hz) / 25fps (50Hz)</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI</p> <p>.Audio in/out: 1/0 - Build in Mic</p> <p>.ONVIF - Profiles S & G - P2P</p>	5MP	50	<p>Motorized Varifocal</p> <p>Built in Mic</p> <p>SD Card</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	20.3	20	\$ 151.63		\$ -
MTIDM045703		<p>5MP IP DOME FACE DETECTION CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10 housing</p> <p>.MicroSD Card slot - Up to 256GB</p> <p>.Intelligent Advanced Analytics: Face detection, Occupancy Control, Line Crossing and Target human/vehicles identification, Abnormal video signal, Region Entrance/Exit, Video color cast, Crowd density</p>	<p>.5MP - 2592 x 1944</p> <p>.1/2.7" CMOS sensor</p> <p>.2.8mm focal length</p> <p>.Up to 60 fps</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, AGC, ROI</p> <p>.Audio in/out: 1/0 - Build in Mic</p> <p>.ONVIF - Profiles S & G - P2P</p>	5MP	40	<p>60 fps</p> <p>Face Detection</p> <p>IP67</p>	<p>NDAA</p> <p>GDPR</p>	11.4	20	\$ 169.38		\$ -
MTIDM038801		<p>8MP DOME IP CAMERA</p> <p>.H.265+ / H.265</p> <p>.IP67 & IK10</p> <p>.MicroSD Card slot, up to 256GB</p> <p>.Intelligent Analytics - Line Crossing, Region Intrusion, Exception</p>	<p>.8MP - 3840 x 2160</p> <p>.1/2.8" CMOS sensor</p> <p>.2.8mm focal length</p> <p>.30fps (60Hz) / 25fps (50Hz)</p> <p>.Supports 3 Streams</p> <p>.Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI</p> <p>.Audio in/out: 1/0 - Build in Mic</p> <p>.ONVIF - Profiles S & G - P2P</p>	8MP	30	<p>8MP</p> <p>IP67</p> <p>IK10</p> <p>MicroSD</p>	<p>NDAA</p> <p>GDPR</p>	20.5	20	\$ 169.38		\$ -

MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
IP 8MP/4K CAMERAS												
MTIBM058722		8MP MOTORIZED VARIFOCAI IP BULLET CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Line Crossing, Intrusion, Object Removal, Exception	. 8MP - 3840 x 2160 . 1/2.8" CMOS sensor . 2.8 - 12mm focal length . 30fps (60Hz) / 25fps (50Hz) . Supports 3 Streams . Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Audio in/out: 1/0 . ONVIF - Profiles S & G - P2P	8MP	50	8MP Motorized Varifocal IP67	GDPR	20.4	20	\$ 220.50		\$ -
MTIBM058701		8MP IP BULLET FACE DETECTION CAMERA Smart H.265 / H.265+ IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Face detection, Target Counting (human/vehicle), Line-crossing/Region entry/exit/Intrusion of human/vehicles	. 8MP - 3840 x 2160 . 1/2.8" CMOS sensor . 2.8mm focal length . Up to 60 fps . Supports 3 Streams . Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Audio in/out: 1/0 . ONVIF - Profiles S & G - P2P	8MP	50	8MP 60 fps Face Detection Target Counting	GDPR	12.2	20	\$ 249.50		\$ -
MTIDM038802		8MP IP DOME FACE DETECTION CAMERA Smart H.265 / H.265+ IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics - Face detection, Target Counting (human/vehicle), Line-crossing/Region entry/exit/Intrusion of human/vehicles	. 8MP - 3840 x 2160 . 1/2.8" CMOS sensor . 2.8mm focal length . Up to 60 fps . Supports 3 Streams . Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Audio in/out: 1/0 - Build in Mic . ONVIF - Profiles S & G - P2P	8MP	30	8MP 60 fps Face Detection IP67 IK10	NDA GDPR	12.1	20	\$ 237.63		\$ -
MTIBM078721		8MP IP MOTORIZED VARIFOCAI BULLET FACE DETECTION CAMERA Smart H.265 / H.265+ IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Face detection, Target Counting (human/vehicle), Line-crossing Region entry/exit/Intrusion of human/vehicles	. 8MP - 3840 x 2160 . 1/2.8" CMOS sensor . 2.8 - 12mm focal length . Up to 60 fps . Supports 3 Streams . Image adjust.: ICR, 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Alarm in/out: 1/1 . Audio in/out: 1/1 . ONVIF - Profiles S & G - P2P	8MP	70	8MP Motorized Varifocal 60fps 70m IR	GDPR	12.3	20	\$ 328.13		\$ -
FULL COLOR IP CAMERAS												
MFIBH022701		2MP IP FULL COLOR BULLET CAMERA H.265 / H.264 IP67 Lens area in Metal/Plastic body Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. 2MP - 1920 x 1080 . 1/2.8" CMOS sensor . 2.8mm focal length . 30fps (60Hz) / 25fps (50Hz) . Supports 2 Streams . Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI . ONVIF - Profiles S - P2P	2MP	20	Full color IP67	NDA GDPR	8.1	20	\$ 53.88		\$ -
MFIDH022701		2MP IP FULL COLOR DOME CAMERA H.265 / H.264 IP67 Lens area in Metal/Plastic body Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. 2MP - 1920 x 1080 . 1/2.8" CMOS sensor . 2.8mm focal length . 30fps (60Hz) / 25fps (50Hz) . Supports 2 Streams . Image adjust.: 3D NR, D-WDR, BLC, HLC, Defog, ROI . Audio in/out: Built-in Mic . ONVIF - Profiles S - P2P	2MP	20	Full color IP67	NDA GDPR	8.2	20	\$ 53.88		\$ -
SPECIAL IP CAMERAS												
MTIFM036702		6MP FISHEYE IP CAMERA H.265 / H.264 IP67 MicroSD Card slot, up to 256GB Mode 1: Fisheye + Panorama + 3 PTZ Mode 2: Fisheye + 4 PTZ	. 6MP - True resolution: 2160 x 2160 . 1/2.9" CMOS sensor . 1.1mm focal length . 360° horizontal view . 30fps (60Hz) / 25fps (50Hz) . Supports 3 Streams . Image adjust.: 3D DNR, D-WDR, BLC, HLC, AGC, De-warp . Alarm in/out: 1/1 . Audio in/out: 1/1 - Built-in mic . ONVIF - Profiles S & G - P2P	6MP	30	Fisheye 360° view Audio in/out Alarm in/out	NDA GDPR	21.1	30	\$ 262.50		\$ -
MTIBM102722		2MP MOTORIZED VARIFOCAI LICENSE PLATE RECOGNITION IP BULLET CAMERA Smart H.265 / H.265+ IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - License Plate Reader, Video tampering, scene change License Plate Recognition with up to 10,000 plates with information, 0 - 70 km/h capture speed range	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . 7 - 22mm focal length . Up to 60 fps . Supports 3 Streams . Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Audio in/out: 1/1 . Alarm in/out: 1/1 . ONVIF - Profiles S & G - P2P	2MP	100	LPR Starlight sensor 60 fps 100m IR 3 Streams IP67	GDPR	21.2	10	\$ 482.38		\$ -


**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
482.375												
MTIBM012721		2MP MOTORIZED VARIFOCAL FACE RECOGNITION IP BULLET CAMERA Smart H.265 / H.265+ IP67 & IK10 housing MicroSD Card slot, up to 256GB Intelligent Analytics - Embedded Face Match/Recognition, Face Detection/Capture, Exception	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . 7 - 22mm focal length . 30fps (60Hz) / 25fps (50Hz) . Supports 3 Streams . Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Audio in/out: 1/1 . Alarm in/out: 1/1 . ONVIF - Profiles S & G - P2P	2MP	10	White light	Face recognition Starlight sensor IP67	GDPR	21.3	10	\$ 413.50	\$ -
MTPBM054721		4MP MOTORIZED VARIFOCAL PERIMETER IP BULLET CAMERA H.265+ / H.265 IP67 & IK10 housing MicroSD Card slot, up to 256GB Perimeter Analytics: Line Crossing and Intrusion/Entrance/Exit detection (human/vehicle) Sound (recordable) Alert and Bright Red/Blue Warning Light to alert intruders	. 4MP - 2592 x 1520 . 1/3" CMOS sensor . 2.8 - 12mm lens . Supports 3 Streams . Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Alarm in/out: 1/1 . Audio in/out: 1/1 - Built-in speaker . ONVIF - Profiles S & G - P2P	4MP	50		Perimeter camera Record Sound MicroSD	NDAA GDPR	21.4	20	\$ 263.38	\$ -
MTWBM028801		8MP IP 180° PANORAMIC CAMERA H.265 / H.264 IP67 & IK10 MicroSD Card slot, up to 256GB Intelligent Analytics - Face Detection, Line Crossing detection, Intrusion detection, Object Removed/Abandoned, Exception	. 8MP - 4096 x 1800 . 4 x 1/2.8" Starlight sensors . 4 x 3.2mm focal length . Supports 3 Streams . 30fps (60Hz) / 25fps (50Hz) . Image adjust.: 3D NR, WDR 120dB, BLC, HLC, Defog, ROI . Alarm in/out: 1/1 . Audio in/out: 1/1 . ONVIF - Profiles S & G - P2P	8MP	20		180° view Face Detection IP67 IK10 MicroSD	GDPR	21.5	8	\$ 1,083.88	\$ -
PTZ NETWORK CAMERAS												
MTIPM152671		4" 2MP MOTORIZED VARIFOCAL PoE IP PTZ CAMERA 15x optical zoom - 16x Digital Zoom Smart H.265 / H.265 IP66 . TVS4000V - Lightning, Surge and Voltage Transient Protection - Smart Thermal mgm MicroSD card slot, up to 256GB Intelligent Analytics: Recognizes max 15 objects per second, trace and zoom fit in pictures, recognize human faces up to 190m distance approx, auto tracks humans/vehicles, face recognition, line crossing, people counting, intrusion, smart detection and perimeter protection	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . High Speed Dome Camera . 5 - 75mm lens . Supports 3 Streams . Image adjust.: 3D DNR, WDR 120dB, BLC, HLC, AGC, Defog, EIS, Picture Overlay . PoE+ . ONVIF - Profiles S & G - P2P	2MP	Smart IR	150m	15x zoom Starlight sensor Smart tracking Human vehicle Perimeter	GDPR	25.1	4	\$ 400.00	\$ -
MTIPM152662		5" 2MP MOTOR VARIFOCAL IP PTZ CAMERA 25x optical zoom - 16x Digital Zoom Smart H.265 / H.265 IP66 . TVS6000V - Lightning, Surge and Voltage Transient Protection - Smart Thermal mgm MicroSD card slot, up to 256GB Intelligent Analytics: Recognizes max 15 objects per second, trace and zoom fit in pictures, recognize human faces up to 320m distance approx, auto tracks humans/vehicles, face recognition, line crossing, people counting, intrusion, smart detection and perimeter protection	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . High Speed Dome Camera . 4.8 - 120mm lens . Supports 3 Streams . Image adjust.: 3D DNR, WDR 120dB, BLC, HLC, AGC, Defog, EIS, Picture Overlay . Alarm in/out: 1/1 . Audio in/out: 1/1 . PoE+ . ONVIF - Profile S & G - P2P	2MP	Smart IR	150m	25x zoom Starlight sensor Smart tracking human & vehicle Perimeter	GDPR	25.2	2	\$ 587.50	\$ -
MTIPM152681		5" 2MP MOTOR VARIFOCAL IP PTZ CAMERA 32x optical zoom - 16x Digital Zoom Smart H.265 / H.265 IP66 . TVS6000V - Lightning, Surge and Voltage Transient Protection - Smart Thermal management MicroSD card slot, up to 256GB Intelligent Analytics: Recognizes max 15 objects per second, trace and zoom fit in pictures, recognize human faces up to 320m distance approx, auto tracks humans/vehicles, face recognition, line crossing, people counting, intrusion, smart detection and perimeter protection	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . High Speed Dome Camera . 4.8 - 120mm lens . Supports 3 Streams . Image adjust.: 3D DNR, WDR 120dB, BLC, HLC, AGC, Defog, EIS, Picture Overlay . Alarm in/out: 1/1 . Audio in/out: 1/1 . PoE+ . ONVIF - Profile S & G - P2P	2MP	Smart IR	150m	32x zoom Starlight sensor Smart tracking human & vehicle Perimeter	GDPR	25.3	2	\$ 775.00	\$ -
MTIPM202781		6" 2MP MOTOR VARIFOCAL PTZ IP CAMERA 32x optical zoom - 16x digital zoom Smart H.265 / H.265 MicroSD card slot, up to 256GB IP67 . TVS6000V - Lightning, Surge and Voltage Transient Protection - Smart Thermal mgm Intelligent Analytics: Face detection, Intrusion, Line crossing, Region entrance, Region exiting, Unattended object, Object removal, Scene change, Alarm triggering by human or vehicle, filtering flag/animal.	. 2MP - 1920 x 1080 . 1/2.8" CMOS Starlight sensor . High Speed Dome Camera . 4.5 - 144mm lens . Supports 3 Streams . Image adjust.: 3D DNR, WDR 120dB, BLC, HLC, AGC, Defog, EIS, Picture Overlay . Alarm in/out: 2/2 . Audio in/out: 1/1 . PoE++ . ONVIF - Profiles S & G - P2P	2MP	200		32x optical zoom Starlight sensor Smart tracking human & vehicle Perimeter	GDPR	26.1	2	\$ 1,125.00	\$ -







MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007

Model	Image	Product - Key attributes	Description	Specifications			Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Resol.	IR (m)	Spotlight						
PTZ NETWORK CAMERAS												
MTIPM204781		6" 4MP MOTOR VARIOFOCAL PTZ IP CAMERA . 32x optical zoom - 16x Digital zoom . Smart H.265 / H.265 . MicroSD card slot, up to 256GB . IP67 . TVS6000V - Lightning, Surge and Voltage Transient Protection - Smart Thermal mgm . Intelligent Analytics: Face detection, Intrusion, Line crossing, Region entrance, Region exiting, Unattended object, Object removal, Scene change, Alarm triggering by human or vehicle, filtering flag/animal.	. 4MP - 2592 x 1520 . 1/1.8" CMOS Starlight sensor . High Speed Dome Camera . 5.6 - 179mm lens . Supports 3 Streams . Image adjust.: 3D DNR, WDR . 120dB, BLC, HLC, AGC, Defog, EIS, Picture Overlay . Alarm in/out: 2/2 . Audio in/out: 1/1 . PoE++ . ONVIF - Profiles S & G - P2P	4MP	200	4MP 32x Optical zoom IP67 Smart tracking human & vehicle Perimeter	GDPR	26.2	2	\$ 1,625.00		\$ -
KEYBOARD / JOYSTICK												
MTKJAA05G		IP Keyboard and Joystick . Display LCD supports multi-language . Operating System Android . Motorola Protocol / ONVIF 2.4	Interface . RJ45 x1 . RS485 x1 . RS232 x 1				GDPR	26.3	2	\$ 431.25		\$ -
FACE RECOGNITION TERMINAL												
MTITP002001		3.5" TOUCHSCREEN DISPLAY WITH 2 x 2MP LENSES . H.265+ . TCP/IP communication via net or Wi-Fi Supports different access options, RF card, RF card + password, RF card + face recognition, etc . Memorizes up to 3,000 faces standalone . High precision Face Detection with deep learning algorithm . Intelligent Analytics - Exception, Face Detection, Face Recognition	. 2 x 2MP - 1920 x 1080 . Supports 3 Streams . 30fps (60Hz) / 25fps (50Hz) . PoE, ROI, Defog . Face Recognition alarms with white and black lists . Mic and speaker Built-in . Audio alerts . ONVIF - Profiles S & G - P2P					23	2	\$ 212.50		\$ -
HYBRID DIGITAL VIDEO RECORDERS - 1080N												
MTD041L0013		Hybrid DVR 4 Channels . 1080P Lite . POS Support - 2 channels (*) . Multi-mode recording: manual / time / motion . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 4 . Standard H.265 / H.264 coding . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 2 added channels 5MP, 30fps. . Maximum total 6 channels, 6 IP . SATA x 1, max 14TB (not included) . RJ45: 10/100 Mbps . P2P	4	Analog 1080N IP 1080P	NDAAGDPR	34.1	8	\$ 49.88		\$ -	
MTD081L0013		Hybrid DVR 8 Channels . 1080P Lite . POS Support - 4 channels (*) . Multi-mode recording: manual / time / motion . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 8 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 2 added channels 5MP, 30fps.- Total 10CH . SATA x 1, max 14TB (not included) . RJ45: 10/100 Mbps . P2P	8	Analog 1080N IP 1080P	NDAAGDPR	34.2	8	\$ 57.75		\$ -	
MTD161L0013		Hybrid DVR 16 Channels . POS Support - 4 channels (*) . Multi-mode recording: manual / time / motion . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 16 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 2 added channels 5MP, 30fps.- Total 18CH . SATA x 1, max 18TB (not included) . RJ45: 10/100 Mbps . P2P	16	Analog 1080N IP 1080P	NDAAGDPR	34.3	8	\$ 102.38		\$ -	







**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Model	Image	Product - Key attributes	Description	Specifications		Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Channels	Resolution						
HYBRID DIGITAL VIDEO RECORDERS - FULL HD											
MTD041F0013		Hybrid DVR 4 Channels . POS Support - 2 channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 4 . Standard H.265 / H.264 . 1080P, 15fps (NTSC) . Smart Search, Record, Snap, Preset, e-mail . IP: 2 added channels 5MP, 30fps - Total 6CH . SATA x 1, max 14TB (not included) . Audio in/out: 1/1 . RJ45: 10/100 Mbps . RS485 Half duplex . P2P	4	5MP	NDA GDPR	35.1	8	\$ 63.00		\$ -
MTD081F0013		Hybrid DVR 8 Channels . POS Support - 4 channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 8 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 4 added channels 5MP, 30fps - Total 12CH . SATA x 1, max 14TB (not included) . Audio in/out: 1/1 . RJ45: 10/100 Mbps . RS485 Half duplex . P2P	8	5MP	NDA GDPR	35.2	5	\$ 93.25		\$ -
MTD081F0014		Hybrid DVR 8 Channels . POS Support - 4 Channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 8 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 4 added channels 5MP, 30fps - Total 12CH . SATA x 1, max 14TB (not included), E-SATA x 1 . Alarm in/out: 8/2 . RJ45: 10/100 Mbps . RS485 Half duplex . P2P	8	5MP	NDA GDPR	35.3	5	\$ 133.88		\$ -
MTD161F0013		Hybrid DVR 16 Channels . POS Support - 4 Channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 16 . Standard H.265 / H.264 . 1080P, 15fps (NTSC) . Smart Search, Record, Snap, Preset, e-mail . IP: 8 added channels 5MP, 30fps . Maximum total 24 channels, 16 IP . SATA x 2, max 18TB each (HDs not included), E-SATA x 1 . Alarm in/out: 16/4 . RJ45: 10/100 Mbps . RS485 Half duplex . P2P	16	5MP	NDA GDPR	36.1	5	\$ 248.13		\$ -
MTD161F0015		Hybrid DVR 16 Channels . POS Support - 4 Channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 16 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 8 added channels 5MP, 30fps . Maximum total 24 channels, 16 IP . SATA x 1, max 18TB (not included) . Audio in/out: 8/1 - RCA . RJ45: 10/100 Mbps . RS485 Half duplex . P2P	16	5MP	NDA GDPR	36.2	5	\$ 183.75		\$ -
MTD324U0N12		Hybrid DVR 32 Channels . POS Support - 4 Channels (*) . Multi-mode recording - Manual, Schedule, Timer, Motion, Sensor, Analytic . Intelligent Analytics - Line Crossing Detection, Intrusion Detection, Exception	. BNC x 32 . Standard H.265 / H.264 . Video format: TVI / CVI / AHD / CVBS . Smart Search, Record, Snap, Preset, e-mail . IP: 8 added channels 5MP, 30fps . Maximum total 40 channels, 24 IP . SATA x 4, max 18TB each (not included), E-SATA x 1 . Alarm in/out: 16/4 . Audio in/out: 16/1 - RCA . RJ45: 10/100/1000 Mbps . RS485 Full duplex . P2P	32	5MP	NDA GDPR	36.3	5	\$ 590.63		\$ -

**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Model	Image	Product - Key attributes	Description	Specifications		Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Channels	Resolution						
NETWORK VIDEO RECORDERS											
MTR08IP		8 Channels NVR . 5MP Maximum Network resolution . H.265 / H.264 . POS support - All channels (*) . Intelligent Analytics - Intrusion, Line crossing, Object removal, Counting, Exception	. HDMI x 1: 1920x1080 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 1 up to 14TB (HD not included) . Network Access Bandwidth: 64 Mbps . RJ45 10/100Mbps . Local backup U disk . ONVIF - P2P	8	5MP	GDPR	28.1	8	\$ 67.50		\$ -
MTR08IPOE		8 Channels PoE NVR . 5MP Maximum Network resolution . H.265 / H.264 . POS support - 8 channels (*) . Intelligent Analytics - Intrusion, Line crossing, Object removal, Counting, Exception	. HDMI x 1: 1920x1080 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 1 up to 14TB (HD not included) . Network Access Bandwidth: 64 Mbps . RJ45 10/100Mbps . 8 RJ45 PoE Ports . Local backup U disk . ONVIF - P2P	8	5MP	GDPR	28.2	8	\$ 152.50		\$ -
MTR081K0022		8 Channels PoE NVR . 4K / Full HD . Smart H.265 / H.265+ . POS support - 8 Channels (*) . Intelligent analytics - Face Recognition, License Plate Recognition, People & car counting, Line crossing, Intrusion and Exception	. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 1 up to 12TB (HDs not included) . Network Access Bandwidth: 80 Mbps . RJ45 10/100/1000Mbps . Alarm in/out: 8/4 . Local backup U disk . USB mobile HDD . ONVIF	8	8MP	GDPR	15.1	5	\$ 151.63		\$ -
MTR081K0822		8 Channels PoE NVR . 4K / Full HD . Smart H.265 / H.265+ . POS support - 8 Channels (*) . Intelligent analytics - Face Recognition, License Plate Recognition, People & car counting, Line crossing, Intrusion and Exception	. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 1 up to 12TB (HDs not included) . Network Access Bandwidth: 80 Mbps . RJ45 10/100/1000 Mbps . 8 RJ45 PoE ports . Alarm in/out: 8/4 . Audio in/out: 1/1 RCA . Local backup U disk . USB mobile HDD . ONVIF	8	8MP	GDPR	15.2	8	\$ 306.00		\$ -
MTR16IP		16 Channels NVR . 4K / Full HD . H.265 / H.264 . POS support - 16 channels (*) . Intelligent Analytics - Intrusion, Line crossing, Object removal, Counting, Exception, Target counting	. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 14TB each (HDs not included) . Network Access Bandwidth: 112 Mbps . RJ45 10/100/1000 Mbps . RJ485 x 1 . Alarm in/out: 4/1 . Audio in/out: 1/1 RCA . Local backup U disk . ONVIF - P2P	16	8MP	GDPR	28.3	5	\$ 131.25		\$ -
MTR162U1611		8 Channels PoE NVR . 4K / Full HD . Smart H.265 / H.265+ . POS support - up to 16 Channels (*) . Intelligent Analytics - Intrusion, Line crossing, Object removal, Counting, Exception, Target counting	. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 14TB each (HDs not included) . Network Access Bandwidth: 112 Mbps . RJ45 10/100/1000 Mbps . 16 RJ45 PoE ports . Audio in/out: 1/1 RCA . Local backup U disk . ONVIF - P2P	16	8MP	GDPR	28.4	5	\$ 341.25		\$ -

MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007






Model	Image	Product - Key attributes	Description	Specifications		Compliance	Brochure Page/Item	Master Box	EXW Price	Qty	Total
				Channels	Resolution						
NETWORK VIDEO RECORDERS											
MTN162K0021		<p>16 Channels NVR . 4K / Full HD . H.265+ / H.265 / H.264 . POS support - 16 Channels (*) . Intelligent analytics - Face Recognition, People counting, Intrusion, Line crossing, Object removal, Counting, Exception, Target counting</p>	<p>. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 12TB each (HDs not included) . Network Access Bandwidth: 160 Mbps . RJ45 10/100/1000 Mbps . RS485 x 1 . Alarm in/out: 8/4 . Audio in/out: 1/1 - RCA . Local backup U disk . USB mobile HDD . ONVIF - P2P</p>	16	8MP	GDPR	15.3	5	\$ 262.50	\$ -	
MTN162K0822		<p>16 Channels NVR . 4K / Full HD . Smart H.265 / H.265+ / H.265 / H.264 . POS support - 16 channels (*) . Intelligent analytics - Face Recognition, Intrusion, Line crossing, Object removal, Counting, Exception, Target counting</p>	<p>. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . High frame rate mode of 60FPS . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 12TB each (HDs not included) . Network Access Bandwidth: 160 Mbps . RJ45 10/100/1000 Mbps . RS485 x 1 . Alarm in/out: 8/4 . Audio in/out: 1/1 - RCA . 8 RJ45 PoE ports . Local backup U disk . USB mobile HDD . ONVIF - P2P</p>	16	8MP	GDPR	15.4	5	\$ 420.00	\$ -	
MTN162K1622		<p>16 Channels PoE NVR . 4K / Full HD . Smart H.265 / H.265+ / H.265 / H.264 . POS support - 16 Channels (*) . Intelligent analytics -Face Recognition, People counting, Object removal, Counting, Exception, Target counting</p>	<p>. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 12TB each (HDs not included) . Network Access Bandwidth: 160 Mbps . RJ45 10/100/1000 Mbps . RS485 x 1 . Alarm in/out: 8/4 . Audio in/out: 1/1 - RCA . 16 RJ45 PoE ports . Local backup U disk . USB mobile HDD . ONVIF - P2P</p>	16	8MP	GDPR	15.5	5	\$ 498.75	\$ -	
MTN322K0012		<p>32 Channels NVR . 4K / Full HD . H.265 / H.264 . POS Support - up to 16 Channels (*) . Intelligent Analytics - Intrusion, Line crossing, Object removal, Counting, Exception</p>	<p>. HDMI x 1: 3840 X 2160 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 2 up to 14TB each (HDs not included) . Network Access Bandwidth: 112 Mbps . RJ45 10/100/1000Mbps . RS485 x 1 . Alarm in/out: 4/1 . Audio in/out: 1/1 RCA . Local backup U disk . USB mobile HDD . ONVIF - P2P</p>	32	8MP	GDPR	29.1	5	\$ 158.88	\$ -	
MTN324T0042		<p>32 Channels NVR . 4K / Full HD . Smart H.265 / H.265+ / H.265 / H.264 . POS Support - Up to 16 channels (*) . Intelligent analytics - Face Recognition up to 6 channels, License Plate recognition, Target counting, Intrusion, Exception</p>	<p>. HDMI #1: 3840x2160 HDMI #2: 1920x1080 . VGA x 1: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 4 up to 14TB each (HDs not included) . Network Access Bandwidth: 192 Mbps . RJ45 10/100/1000Mbps . RS485 x 1 - Full duplex . Alarm in/out: 16/4 . Audio in/out: 1/1 - RCA . Local backup U disk . USB mobile HDD . ONVIF - P2P</p>	32	12MP	GDPR	15.3	2	\$ 551.25	\$ -	
MTN648K0012		<p>64 Channels NVR . 4K / Full HD . Smart H.265 / H.265+ / H.265 / H.264 . POS Support, up to 16 channels (*) . Intelligent Analytics from camera - Object Removal Detection, Intrusion Detection, Line Crossing Detection, Exception, People Intrusion</p>	<p>. HDMI #1: 3840 X 2160 . HDMI #2: 1920x1080 . Dual stream recording, simultaneous playback, Smart Search . Alarm triggering: Record, Snap, Preset, e-mail . SATA x 8 up to 18TB each (HDs not included), E-SATA x 2 . Network Access Bandwidth: 320 Mbps . RJ45 10/100/1000Mbps x 2 . RS485 x 1 - Full duplex . Alarm in/out: 8/4 . Audio in/out: 1/1 RCA . Local backup U disk . RAID Disk Array: RAID0, RAID1, RAID5, RAID6, RAID10 . ONVIF - P2P</p>	64	12MP	GDPR	29.2	2	\$ 786.25	\$ -	

**MOTOROLA SECURITY
PURCHASE ORDER / PROPOSAL
Fisher Pond Crescent, St. Joseph, Tel 246 627-0007**

Model	Product - Key attributes	Description	Brochure Page/Item	Purchase	Price	Qty	Total
VMS							
MVMS 3.3 Lite	. Windows Operating System . Max number of channel access: 256 . Supports P2P from QR Code or serial . Single user mode . Realtime monitoring & Playback recordings . Max number of screen display 100CH	. Face and License Plate Recognition (with Motorola face detection cameras) . Device configuration . ONVIF compatible . Supports Fisheye and Panoramic cameras . Supports Intelligent searches . Human/Vehicle classification and counting	37.1	License free	\$ -		\$ -
MVMS 3.3 Standard	. Windows Operating System . Max number of channel access: 10,000 . Supports P2P from QR Code or serial . Client / Server configuration . Realtime monitoring & Playback recordings . Max number of screen display 100CH	. Face and License Plate Recognition (with Motorola face detection cameras), Attendance control . Device configuration . ONVIF compatible . Supports Fisheye and Panoramic cameras . Supports Intelligent searches . Human/Vehicle classification and counting	37.2	One-time license fee per channel	\$ 73.75		\$ -
MVMS 3.3 Professional	. Windows and Linux Operating System . Max number of channel access: 20,000 . Supports P2P from QR Code or serial . Client / Server configuration . Realtime monitoring & Playback recordings . Max number of screen display 100CH	. Interconnectivity with Acces Control and Alarm Panels Systems . Face and License Plate Recognition (with Motorola cameras), Attendance control . Device configuration . ONVIF compatible . Supports Fisheye and Panoramic cameras . Supports Intelligent searches . Human/Vehicle classification and counting . Occupancy Control and Parking Lot Management	37.3	One-time license fee per channel	\$ 123.75		\$ -

Model	Image	Product Name	Description	Compliance	Master Box	EXW Price	Qty	Total
-------	-------	--------------	-------------	------------	------------	-----------	-----	-------

Servers and Decoders

MTS001K0N21		All-In-One Management Server	. High-performance X86 hardware Platform . Pre-installed MVMS Professional Software for 64 channels for easy deployment . Supports TV Wall management, splicing, PIP, roaming and triggering video on TV wall . Supports Android/iOS mobile App . Maximum number of channels access 2,048 (Up to 20,000 channels adding Transfer Servers) . 640 Mbps bandwidth supported	NDA GDPR	1	\$ 5,053.13		\$ -
MTSTF1N0N01		Transfer Server	Based on the concept of "All-in-One", this is a transfer server specially designed for security surveillance . High-performance X86 hardware platform, stable and reliable . Preset software before delivery; All-in-One simple deployment . Supports the device access of Motorola devices and other famous manufacturers in the industry via ONVIF . Supports device auto-report . Supports adding devices through IP address, IP address segment, URL, domain name and serial number . Automatically search devices and quickly adding devices . Supports standard, widescreen and customized screen display modes . 880Mbps stream access and transfer per device . 4 gigabit Ethernet ports, powerful network redundancy capability	GDPR	1	\$ 6,187.50		\$ -
MTSST9N0N01		24-Disk Storage Server	. Intel Xeon E3-1220V5 high-performance 4 core processor, up to 8GT/s data transfer rate . 64-bit expansion, I/O acceleration, Turbo, Hyper-Threading Technology . 4 memory card slots, up to 64GB DDR4-1866/2133MHz ECC . 2 Gigabit Ethernet ports; supports I/OA technology; supports link aggregation and binding redundancy	GDPR	1	\$ 10,631.25		\$ -
MTS009K0N21		All-In-One 16-Disk Management Server	. High-performance X86 hardware platform, stable and reliable . 3.5 inch hot-pluggable SATA HDD x 16 . 2 built-in 2.5 inch HDD, up to 128TB . Pre-installed MVMS Professional Software for 64 channels for easy deployment . Supports TV wall management, splicing, PIP, roaming and rigging video on TV wall . Maximum number of channels access 2,048 (Up to 20,000 channels adding Transfer Servers) . 740 Mbps Bandwidth supported	GDPR	1	\$ 9,581.25		\$ -
MTC040K0808		4 HDMI Decoder Matrix	. Decoding and display up to 4K resolution . Maximum 32 decoders can be connected together (128 screens total) . H.265 HP/MP/BP and H.264 HP/MP/BP compression standards . Modular and hot pluggable design . HDMI x 4 . USB3.0 x 1 USB2.0 x 1 / RS485 x 1 / RS232 x 1 . Alarm in/out: 8/8	GDPR	1	\$ 1,237.50		\$ -

Notes:
 - (*) POS Support - Check compatibility
 - All prices quoted in US dollars and may change any time without previous notice
 - All listed prices are quoted Ex-works China - ShenZhen

PO Summary	Analog	Cameras	0	\$ -
		DVRs	0	\$ -
	Total	0	\$ -	
PO Summary	IP	Cameras	0	\$ -
		NVRs	0	\$ -
		Other	0	\$ -
		Total	0	\$ -
	Total PO	0	\$ -	

The responsibility of confidentiality:

The information in this document contains confidential. It is intended exclusively for its recipient. If you are not the intended recipient, you may not disclose, use, disseminate, distribute or copy this document in any way. Access to this document by any other person is not authorized. If you received this document by mistake, notify the sender and delete the document.